

# Certificate of Compliance

**Certificate Number:**

UL-US-L60425-61871111-  
31605102-9

**Report Reference:**

E60425-20150613

**Issue Date:**

2025-07-01

Issued to:

**PHOENIX CONTACT GmbH & Co. KG**  
**Flachsmarktstrasse 8 Blomberg 32825**  
**Germany**

This certificate confirms that representative samples of:  
**XCFR2 - Terminal Blocks - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**UL 1059, Edition 6, Issue Date 2024-12-11**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L60425-61871111-31605102-9  
Report reference E60425-20150613  
Date 2025-07-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Component - Terminal Blocks

**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999.

## Terminal Blocks - Component

**Model(s):** HSCP-SP 2.5-6U24 followed by -00/00 to 99/99

**Model(s):** HSCP-SP 1.5-6U36 followed by -000/000 to -999/999 may be followed by -0000 to -9999

**Model(s):** HSCP-SP 1.5 followed by -1U followed by /6.

**Model(s):** HSCTV-SP 2.5 followed by -1U to -8U, followed by 4, may be followed by -00/00 to 99/99 may be followed by -0000 to -9999.

**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999

**Model(s):** HSCH 2.5 followed by -1U to -9U, followed by /4 to /36, -TTTT, -TT00, -2220, -TT02 or any other four-digit combination of suffix T, 0 and 2.

**Model(s):** HSCH 1.5 THR followed by -2U, -3U followed by /12, /18

**Model(s):** HSCH 1.5 followed by -2U, -3U followed by /12, /18.

**Model(s):** HSCH 2.5 followed by -1U to -3U or -7U followed by /4 to /12 or /28 followed by THR

**Model(s):** HSCH MIX 7U/40 THR followed by 0000 to 9999 may be followed by EXKL.

**Model(s):** HSCP-SP 2.5 followed by -1U to -8U, followed by 4, -TT, -T2, -02 or any other two-digit combination of suffix T, 0 and 2 may be followed by -00/00 to 99/99 may be followed by -0000 to -9999

**Model(s):** HSCP-SP 2.5 followed by -1U, followed by /4, -TT, -20, -02 or any other two-digit combination of suffix T, 0 and 2

**Model(s):** HSCP-SP MIX followed by -2U to -8U, followed by /, may be followed by -0000 to -9999.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-US-2553168-3

**Report Reference:**

E60425-20150613

**Issue Date:**

2025-07-01

Issued to:

**PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstrasse 8 Blomberg 32825  
Germany**

This certificate confirms that representative samples of:

**XCFR2 - Terminal Blocks - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**UL 1059, Edition 6, Issue Date 2024-12-11**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

Certificate number   UL-US-2553168-3  
Report reference     E60425-20150613  
Date                   2025-07-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Component - Terminal Blocks

**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999.

## Terminal Blocks - Component

**Model(s):** HSCP-SP 2.5-6U24 followed by -00/00 to 99/99

**Model(s):** HSCP-SP 1.5-6U36 followed by -000/000 to -999/999 may be followed by -0000 to -9999

**Model(s):** HSCP-SP 1.5 followed by -1U followed by /6.

**Model(s):** HSCTV-SP 2.5 followed by -1U to -8U, followed by 4, may be followed by -00/00 to 99/99 may be followed by -0000 to -9999.

**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999

**Model(s):** HSCH 2.5 followed by -1U to -9U, followed by /4 to /36, -TTTT, -TT00, -2220, -TT02 or any other four-digit combination of suffix T, 0 and 2.

**Model(s):** HSCH 1.5 THR followed by -2U, -3U followed by /12, /18

**Model(s):** HSCH 1.5 followed by -2U, -3U followed by /12, /18.

**Model(s):** HSCH 2.5 followed by -1U to -3U or -7U followed by /4 to /12 or /28 followed by THR

**Model(s):** HSCH MIX 7U/40 THR followed by 0000 to 9999 may be followed by EXKL.

**Model(s):** HSCP-SP 2.5 followed by -1U to -8U, followed by 4, -TT, -T2, -02 or any other two-digit combination of suffix T, 0 and 2 may be followed by -00/00 to 99/99 may be followed by -0000 to -9999

**Model(s):** HSCP-SP 2.5 followed by -1U, followed by /4, -TT, -20, -02 or any other two-digit combination of suffix T, 0 and 2

**Model(s):** HSCP-SP MIX followed by -2U to -8U, followed by /, may be followed by -0000 to -9999.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-US-2574873-2

**Report Reference:**

E60425-20150613

**Issue Date:**

2025-07-01

Issued to:

**PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstrasse 8 Blomberg 32825  
Germany**

This certificate confirms that representative samples of:

**XCFR2 - Terminal Blocks - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**UL 1059, Edition 6, Issue Date 2024-12-11**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2574873-2  
Report reference E60425-20150613  
Date 2025-07-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Component - Terminal Blocks

**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999.

## Terminal Blocks - Component

**Model(s):** HSCP-SP 2.5-6U24 followed by -00/00 to 99/99

**Model(s):** HSCP-SP 1.5-6U36 followed by -000/000 to -999/999 may be followed by -0000 to -9999

**Model(s):** HSCP-SP 1.5 followed by -1U followed by /6.

**Model(s):** HSCTV-SP 2.5 followed by -1U to -8U, followed by 4, may be followed by -00/00 to 99/99 may be followed by -0000 to -9999.

**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999

**Model(s):** HSCH 2.5 followed by -1U to -9U, followed by /4 to /36, -TTTT, -TT00, -2220, -TT02 or any other four-digit combination of suffix T, 0 and 2.

**Model(s):** HSCH 1.5 THR followed by -2U, -3U followed by /12, /18

**Model(s):** HSCH 1.5 followed by -2U, -3U followed by /12, /18.

**Model(s):** HSCH 2.5 followed by -1U to -3U or -7U followed by /4 to /12 or /28 followed by THR

**Model(s):** HSCH MIX 7U/40 THR followed by 0000 to 9999 may be followed by EXKL.

**Model(s):** HSCP-SP 2.5 followed by -1U to -8U, followed by 4, -TT, -T2, -02 or any other two-digit combination of suffix T, 0 and 2 may be followed by -00/00 to 99/99 may be followed by -0000 to -9999

**Model(s):** HSCP-SP 2.5 followed by -1U, followed by /4, -TT, -20, -02 or any other two-digit combination of suffix T, 0 and 2

**Model(s):** HSCP-SP MIX followed by -2U to -8U, followed by /, may be followed by -0000 to -9999.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-L60425-61891111-  
31605102-8

**Report Reference:**

E60425-20150613

**Issue Date:**

2025-07-01

Issued to:

**PHOENIX CONTACT GmbH & Co. KG**  
**Flachsmarktstrasse 8 Blomberg 32825**  
**Germany**

This certificate confirms that representative samples of:

**XCFR8 - Terminal Blocks Certified for Canada - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 158, Edition 4, Issue Date 2023-02, Revision Date 2023-12**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

Certificate number   UL-CA-L60425-61891111-31605102-8  
Report reference     E60425-20150613  
Date                   2025-07-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Component - Terminal Blocks

**Model(s):** HSCP-SP 1.5, followed by -1U followed by /6  
**Model(s):** HSCP-SP 1.5-6U36 followed by -000/000 to -999/999 may be followed by -0000 to -9999.  
**Model(s):** HSCH 2.5 THR followed by -1U to -3U or -7U, followed by /4 to /12 or /28  
**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999.  
**Model(s):** HSCH 2.5 followed by -1U to -9U, followed by /4 to /36, -TTTT, -TT00, -2220, -TT02 or any other four-digit combination of suffix T, 0 and 2.  
**Model(s):** HSCH 1.5, HSCH 1.5 THR followed by -2U, -3U followed by /12, /18.  
**Model(s):** HSCH MIX 7U/40 THR followed by 0000 to 9999 may be followed by EXKL  
**Model(s):** HSCP-SP MIX followed by -2U to -8U, followed by /, may be followed by -0000 to -9999.

## Terminal Blocks - Component

**Model(s):** HSCP-SP 2.5-6U24 followed by -00/00 to 99/99  
**Model(s):** HSCTV-SP 2.5 followed by -1U to -8U, followed by 4, may be followed by -00/00 to 99/99 may be followed by -0000 to -9999.  
**Model(s):** HSCP-SP 2.5 followed by -1U to -8U, followed by 4, -TT, -T2, -02 or any other two-digit combination of suffix T, 0 and 2 may be followed by -00/00 to 99/99 may be followed by -0000 to -9999  
**Model(s):** HSCP-SP 2.5 followed by -1U, followed by /4, -TT, -20, -02 or any other two-digit combination of suffix T, 0 and 2



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-2540016-3

**Report Reference:**

E60425-20150613

**Issue Date:**

2025-07-01

Issued to:

**PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstrasse 8 Blomberg 32825  
Germany**

This certificate confirms that representative samples of:

**XCFR8 - Terminal Blocks Certified for Canada - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 158, Edition 4, Issue Date 2023-02, Revision Date 2023-12**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

Certificate number   UL-CA-2540016-3  
Report reference     E60425-20150613  
Date                   2025-07-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Component - Terminal Blocks

**Model(s):** HSCP-SP 1.5, followed by -1U followed by /6  
**Model(s):** HSCP-SP 1.5-6U36 followed by -000/000 to -999/999 may be followed by -0000 to -9999.  
**Model(s):** HSCH 2.5 THR followed by -1U to -3U or -7U, followed by /4 to /12 or /28  
**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999.  
**Model(s):** HSCH 2.5 followed by -1U to -9U, followed by /4 to /36, -TTTT, -TT00, -2220, -TT02 or any other four-digit combination of suffix T, 0 and 2.  
**Model(s):** HSCH 1.5, HSCH 1.5 THR followed by -2U, -3U followed by /12, /18.  
**Model(s):** HSCH MIX 7U/40 THR followed by 0000 to 9999 may be followed by EXKL  
**Model(s):** HSCP-SP MIX followed by -2U to -8U, followed by /, may be followed by -0000 to -9999.

## Terminal Blocks - Component

**Model(s):** HSCP-SP 2.5-6U24 followed by -00/00 to 99/99  
**Model(s):** HSCTV-SP 2.5 followed by -1U to -8U, followed by 4, may be followed by -00/00 to 99/99 may be followed by -0000 to -9999.  
**Model(s):** HSCP-SP 2.5 followed by -1U to -8U, followed by 4, -TT, -T2, -02 or any other two-digit combination of suffix T, 0 and 2 may be followed by -00/00 to 99/99 may be followed by -0000 to -9999  
**Model(s):** HSCP-SP 2.5 followed by -1U, followed by /4, -TT, -20, -02 or any other two-digit combination of suffix T, 0 and 2



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# Certificate of Compliance

**Certificate Number:**

UL-CA-2555081-2

**Report Reference:**

E60425-20150613

**Issue Date:**

2025-07-01

Issued to:

**PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstrasse 8 Blomberg 32825  
Germany**

This certificate confirms that representative samples of:

**XCFR8 - Terminal Blocks Certified for Canada - Component**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA C22.2 No. 158, Edition 4, Issue Date 2023-02, Revision Date 2023-12**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2555081-2  
Report reference E60425-20150613  
Date 2025-07-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Component - Terminal Blocks

**Model(s):** HSCP-SP 1.5, followed by -1U followed by /6  
**Model(s):** HSCP-SP 1.5-6U36 followed by -000/000 to -999/999 may be followed by -0000 to -9999.  
**Model(s):** HSCH 2.5 THR followed by -1U to -3U or -7U, followed by /4 to /12 or /28  
**Model(s):** HSCP-SP 1.5 followed by -1U to -8U, followed by 6, may be followed by -200 or any other three-digit combination of suffix 0 and 2 may be followed by -000/000 to 999/999 may be followed by -0000 to -9999.  
**Model(s):** HSCH 2.5 followed by -1U to -9U, followed by /4 to /36, -TTTT, -TT00, -2220, -TT02 or any other four-digit combination of suffix T, 0 and 2.  
**Model(s):** HSCH 1.5, HSCH 1.5 THR followed by -2U, -3U followed by /12, /18.  
**Model(s):** HSCH MIX 7U/40 THR followed by 0000 to 9999 may be followed by EXKL  
**Model(s):** HSCP-SP MIX followed by -2U to -8U, followed by /, may be followed by -0000 to -9999.

## Terminal Blocks - Component

**Model(s):** HSCP-SP 2.5-6U24 followed by -00/00 to 99/99  
**Model(s):** HSCTV-SP 2.5 followed by -1U to -8U, followed by 4, may be followed by -00/00 to 99/99 may be followed by -0000 to -9999.  
**Model(s):** HSCP-SP 2.5 followed by -1U to -8U, followed by 4, -TT, -T2, -02 or any other two-digit combination of suffix T, 0 and 2 may be followed by -00/00 to 99/99 may be followed by -0000 to -9999  
**Model(s):** HSCP-SP 2.5 followed by -1U, followed by /4, -TT, -20, -02 or any other two-digit combination of suffix T, 0 and 2



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.