

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L335024-22-80302102-2
Report Reference E335024-20120308
Date 26-Aug-2021

Issued to: PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8
Blomberg
Germany 32825

This is to certify that representative samples of DUXR2 - Communications-, Audio/Video-, Data- and Other Signaling-circuit Accessories - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 1863, 4th Ed, Issue Date: 2004-05-14, Revision Date: 2019-10-14

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L335024-22-80302102-2
Report Reference E335024-20120308
Date 26-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. No. VS-FSBPXS-OE-94F/M,M, (where M,M = length in meter)	Cat 6a Device Connectors With Cables
Cat. No. VS-FSBPYS-OE-94H/M,M SCO, (where M,M = length in meter)	M12 Y-Coded Hybrid Device Connectors With Cables
CAT. NOS. SACC-CI-M12FS-8CON-L180-10G	Panel Feed-Through Connector
SACC-CI-M12FS-8CON-L180-10G	Panel Feed-Through Connector
SACC-CI-M12FSX-8CON-L180 TOR32	Panel Feed-Through Connector
SACC-CI-M12FSX-8CON-L180-THR	Panel Feed-Through Connector
SACC-CI-M12FSX-8CON-L90	Panel Feed-Through Connector
SACC-CI-M12FSX-8P SMD SH	Panel Feed-Through Connector
SACC-CI-M12FSY-8CON-L180 THR	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-CI-M12FSY-8CON-L90	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-CI-M12FSY-8P SMD SH	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-DSI-FSX-8CON-M16-L180 SCO	Panel Feed-Through Connector
SACC-DSI-FSX-8CON-PG9-L180 BH	Panel Feed-Through Connector
SACC-DSI-FSX-8CON-PG9-L180 SCO	Panel Feed-Through Connector
SACC-DSI-FSY-8CON-M16-L180 SCO	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-DSI-FSY-8CON-M16/0,5 SCO	M12 Y-Coded Hybrid Panel Feed Through Connector
HYBRID PANEL FEED THROUGH CONNECTOR, SACC-DSI-FSY-8CON-M16/0,5 SCO P	Communication Circuit Accessories
SACC-DSIV-FS-8CON-L180-10G SCO	Panel Feed-Through Connector
SACC-DSIV-FSX-8CON-L180 SCO	Panel Feed-Through Connector
VS followed by -04 or -08,, followed by -M12, followed by MS, MR or MSY, followed by -10G-P SCO.	Component Connector
VS-08-M12,, followed by MS or MR, followed by -10G-P SCO	Component Connector

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L335024-42-80302102-2
Report Reference E335024-20120308
Date 26-Aug-2021

Issued to: PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8
Blomberg
Germany 32825

**This is to certify that
representative samples of**

DUXR8 - Communications-, Audio/Video-, Data- and Other
Signaling-circuit Accessories Certified for Canada -
Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CAN/CSA-C22.2 NO. 182.4-M90, 1st Ed., Issue Date:
1990-05-01, Reaffirmed 2020

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark.
Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified
and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L335024-42-80302102-2
Report Reference E335024-20120308
Date 26-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. No. VS-FSBPXS-OE-94F/M,M, (where M,M = length in meter)	Cat 6a Device Connectors With Cables
Cat. No. VS-FSBPYS-OE-94H/M,M SCO, (where M,M = length in meter)	M12 Y-Coded Hybrid Device Connectors With Cables
CAT. NOS. SACC-CI-M12FS-8CON-L180-10G	Panel Feed-Through Connector
SACC-CI-M12FS-8CON-L180-10G	Panel Feed-Through Connector
SACC-CI-M12FSX-8CON-L180 TOR32	Panel Feed-Through Connector
SACC-CI-M12FSX-8CON-L180-THR	Panel Feed-Through Connector
SACC-CI-M12FSX-8CON-L90	Panel Feed-Through Connector
SACC-CI-M12FSX-8P SMD SH	Panel Feed-Through Connector
SACC-CI-M12FSY-8CON-L180 THR	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-CI-M12FSY-8CON-L90	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-CI-M12FSY-8P SMD SH	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-DSI-FSX-8CON-M16-L180 SCO	Panel Feed-Through Connector
SACC-DSI-FSX-8CON-PG9-L180 BH	Panel Feed-Through Connector
SACC-DSI-FSX-8CON-PG9-L180 SCO	Panel Feed-Through Connector
SACC-DSI-FSY-8CON-M16-L180 SCO	M12 Y-Coded Hybrid Panel Feed Through Connector
SACC-DSI-FSY-8CON-M16/0,5 SCO	M12 Y-Coded Hybrid Panel Feed Through Connector
HYBRID PANEL FEED THROUGH CONNECTOR, SACC-DSI-FSY-8CON-M16/0,5 SCO P	Communication Circuit Accessories
SACC-DSIV-FS-8CON-L180-10G SCO	Panel Feed-Through Connector
SACC-DSIV-FSX-8CON-L180 SCO	Panel Feed-Through Connector
VS followed by -04 or -08,, followed by -M12, followed by MS, MR or MSY, followed by -10G-P SCO.	Component Connector
VS-08-M12,, followed by MS or MR, followed by -10G-P SCO	Component Connector



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>