

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L335024-90302102-2
Report Reference E335024-20120309
Date 22-Jun-2021

Issued to: PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg
Germany 32825

**This is to certify that
representative samples of**

DUXR2 - Communications-, Audio/Video-, Data- and Other
Signaling-circuit Accessories - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 1863, 4th Ed, Issue Date: 2004-05-14, Revision Date:
2019-10-14

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark.
Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified
and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L335024-90302102-2
Report Reference E335024-20120309
Date 22-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. Nos. NBC,, may be followed by /yyy (length), may be followed by -M12, may be followed by -93B, -93C, -93E, 93F, -93G, -93H, -93K, -93M, -93R, -94B, -94C or -94F or -94L, with our without the hyphen, may be followed by -M12, may be followed by /FSD, /FS, /FSX, /FRD, , /FRDC1, /FRDC2, /FRDC3, /FRDC4, /FRDC5, /FRDC6, /FRDC7, /FRDC8, /FR, /FRC1, /FRC2, /FRC3, /FRC4, /FRC5, /FRC6, /FRC7, /FRC8, /FRX, /FRXC1, /FRXC2, /FRXC3, /FRXC4, /FRXC5, /FRXC6, /FRXC7 or /FRXC8, may be followed by SCO. (+)	Single-Ended Female Industrial Ethernet Cable Assembly
Cat. Nos. NBC, may be followed by -M12, may be followed by -MSD,, -MS, -MSX, -MR, -MRD, -MRDC1, -MRDC2, -MRDC3, -MRDC4, -MRDC5, -MRDC6, -MRDC7, -MRDC8, -MRC1, -MRC2, -MRC3, -MRC4, -MRC5, -MRC6, -MRC7, -MRC8, -MRX, MRXC1, -MRXC2, -MRXC3, -MRXC4, -MRXC5, -MRXC6, -MRXC7 or -MRXC8, with or without the hyphen followed by /yyy (length), may be followed by -93B, -93C, -93E, -93F, -93G, -93H, -93K, -93M, -93R, -94B, -94C, -94F or 94L, may be followed by SCO (+)	Single-Ended Male Industrial Ethernet Cable Assembly
VS-M12MSS-OE,, followed by -94B or -94F, followed by yyy (length), followed by 10G or POE	Single-ended Ethernet Cable Assembly



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L335024-90302102-2
Report Reference E335024-20120309
Date 22-Jun-2021

Issued to: PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg
Germany 32825

**This is to certify that
representative samples of**

DUXR8 - Communications-, Audio/Video-, Data- and Other
Signaling-circuit Accessories Certified for Canada -
Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA C22.2 NO. 233-17, 3rd Ed., Issue Date: 2017-05-01,
CAN/CSA-C22.2 NO. 182.4-M90, 1st Ed., Issue Date:
1990-05-01, Reaffirmed 2020

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark.
Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified
and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L335024-90302102-2
Report Reference E335024-20120309
Date 22-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. Nos. NBC,, may be followed by /yyy (length), may be followed by -M12, may be followed by -93B, -93C, -93E, 93F, -93G, -93H, -93K, -93M, -93R, -94B, -94C or -94F or -94L, with our without the hyphen, may be followed by -M12, may be followed by /FSD, /FS, /FSX, /FRD, , /FRDC1, /FRDC2, /FRDC3, /FRDC4, /FRDC5, /FRDC6, /FRDC7, /FRDC8, /FR, /FRC1, /FRC2, /FRC3, /FRC4, /FRC5, /FRC6, /FRC7, /FRC8, /FRX, /FRXC1, /FRXC2, /FRXC3, /FRXC4, /FRXC5, /FRXC6, /FRXC7 or /FRXC8, may be followed by SCO. (+)	Single-Ended Female Industrial Ethernet Cable Assembly
Cat. Nos. NBC, may be followed by -M12, may be followed by -MSD,, -MS, -MSX, -MR, -MRD, -MRDC1, -MRDC2, -MRDC3, -MRDC4, -MRDC5, -MRDC6, -MRDC7, -MRDC8, -MRC1, -MRC2, -MRC3, -MRC4, -MRC5, -MRC6, -MRC7, -MRC8, -MRX, MRXC1, -MRXC2, -MRXC3, -MRXC4, -MRXC5, -MRXC6, -MRXC7 or -MRXC8, with or without the hyphen followed by /yyy (length), may be followed by -93B, -93C, -93E, -93F, -93G, -93H, -93K, -93M, -93R, -94B, -94C, -94F or 94L, may be followed by SCO (+)	Single-Ended Male Industrial Ethernet Cable Assembly



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

