

Certificate of Compliance

Certificate Number:

UL-US-L140324-1519-
82204102-7

Report Reference:

E140324-20140228

Issue Date:

2024-09-20

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:
NKCR - Auxiliary Devices

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L140324-1519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PSR-CT-GWY-1DGN-IOL-PI, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC20-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC20-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC30-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC30-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC31-2SDO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC31-2SDO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC32-3NO-1NC-24-230UC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC32-3NO-1NC-24-230UC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC34-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC34-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L140324-1519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

by a number (indicates the number of parts the multiple package contains).	
PSR-MC35-2NO-1DO-24DC-SC	Auxiliary Devices
PSR-MC35-2NO-1DO-24DC-SP	Auxiliary Devices
PSR-MC37-3NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC37-3NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC40-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC40-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC42-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC43-2SDO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC43-2SDO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC45-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC45-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC50-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC50-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L140324-1519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

PSR-MC70-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC70-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC72-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC72-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC73-5NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC73-5NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC82-5NO-1NC-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC82-5NO-1NC-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS20-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS21-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS25-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS30-1NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L140324-1519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

PSR-MS35-1NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS40-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS45-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS50-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS55-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS60-2NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC20-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC20-1NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC21-2NO-2NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC21-2NO-2NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC32-2NO-1NC-24-230UC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC32-2NO-1NC-24-230UC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L140324-1519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

PSR-PC40-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC40-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC50-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC50-1NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC51-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC51-1NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC52-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC52-1NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PE20-1NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-PE60-3NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-PLC21-2CO-24DC-PT	Auxiliary Devices
PSR-PLC21-2CO-24DC-SC	Auxiliary Devices
PSR-PS20-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PS21-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L140324-1519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

by a number (indicates the number of parts the multiple package contains).	
PSR-PS22-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PS23-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PS40-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-SCF-24UC-URM-1X1-1X2, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type

Certificate of Compliance

Certificate Number:

UL-CA-L140324-3519-
82204102-7

Report Reference:

E140324-20140228

Issue Date:

2024-09-20

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:
NKCR7 - Auxiliary Devices Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L140324-3519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PSR-CT-GWY-1DGN-IOL-PI, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC20-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC20-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC30-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC30-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC31-2SDO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC31-2SDO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC32-3NO-1NC-24-230UC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC32-3NO-1NC-24-230UC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC34-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC34-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L140324-3519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

by a number (indicates the number of parts the multiple package contains).	
PSR-MC35-2NO-1DO-24DC-SC	Auxiliary Devices
PSR-MC35-2NO-1DO-24DC-SP	Auxiliary Devices
PSR-MC37-3NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC37-3NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC40-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC40-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC42-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC43-2SDO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC43-2SDO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC45-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC45-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC50-3NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC50-3NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L140324-3519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

PSR-MC70-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC70-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC72-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC72-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC73-5NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC73-5NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-MC82-5NO-1NC-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MC82-5NO-1NC-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS20-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS21-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS25-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS30-1NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L140324-3519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

PSR-MS35-1NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS40-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS45-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS50-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS55-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-MS60-2NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC20-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC20-1NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC21-2NO-2NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC21-2NO-2NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC32-2NO-1NC-24-230UC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC32-2NO-1NC-24-230UC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L140324-3519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

PSR-PC40-2NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC40-2NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC50-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC50-1NO-1DO-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC51-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC51-1NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC52-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PC52-1NO-1NC-24DC-SP, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PE20-1NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-PE60-3NO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Devices
PSR-PLC21-2CO-24DC-PT	Auxiliary Devices
PSR-PLC21-2CO-24DC-SC	Auxiliary Devices
PSR-PS20-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PS21-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L140324-3519-82204102-7
Report reference E140324-20140228
Date 2024-09-20

by a number (indicates the number of parts the multiple package contains).	
PSR-PS22-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PS23-1NO-1NC-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-PS40-1NO-1DO-24DC-SC, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type
PSR-SCF-24UC-URM-1X1-1X2, may be followed by -SET (indicates a multiple sales package) and may be followed by a number (indicates the number of parts the multiple package contains).	Auxiliary Device Open type



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.