

CERTIFICATE OF COMPLIANCE

Certificate Number E221474
Report Reference E221474-20070307
Issue Date 2023-SEPTEMBER-04

Issued to: PHOENIX CONTACT GMBH & CO. KG
FLACHSMARKTSTRASSE 8
BLOMBERG 32825 GERMANY

**This certificate confirms that
representative samples of**

CABLE ASSEMBLIES AND FITTINGS FOR INDUSTRIAL
CONTROL AND SIGNAL DISTRIBUTION - COMPONENT
See addendum for models.

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 2238, Safety for Cable Assemblies and Fittings for
Industrial Control and Signal Distribution.
CSA C22.2 No. 182.3, Special Use Attachment Plugs,
Receptacles, and Connectors.

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for
additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E221474
Report Reference E221474-20070307
Issue Date 2023-SEPTEMBER-04

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Panel-Mounted Conductor Fittings:

SACC-E-MINFS-3CON-PG13/0.5
SACC-E-MINFS-5CON-PG13/0.5
SACC-E-MINMS-4CON-PG13/0.5
SACC-DSI-MINFS-3CON-M26/1,0
SACC-DSI-MINFS-5CON-M26/1,0
SACC-DSI-MINMS-4CON-UNF/1,0
SACC-DSI-MINFS-3CON-M26 PCB
SACC-DSI-MINFS-5CON-M26 PCB
SACC-DSI-MINMS-4CON-UNF PCB

SACC-E-MINFS-4CON-PG13/0.5
SACC-E-MINMS-3CON-PG13/0.5
SACC-E-MINMS-5CON-PG13/0.5
SACC-DSI-MINFS-4CON-M26/1,0
SACC-DSI-MINMS-3CON-UNF/1,0
SACC-DSI-MINMS-5CON-UNF/1,0
SACC-DSI-MINFS-4CON-M26 PCB
SACC-DSI-MINMS-3CON-UNF PCB
SACC-DSI-MINMS-5CON-UNF PCB

Female cable fitting right angle:

SACC-MINFR-5CON-PG11/2,5
SACC-MINFR-3CON-PG 9
SACC-MINFR-5CON-PG 9

SACC-MINFR-5CON-PG13/2,5
SACC-MINFR-4CON-PG 9

Female cable fitting straight:

SACC-MINFS-5CON-PG16/2,5
SACC-MINFS-5CON-PG13/2,5
SACC-MINFS-3CON-PG13
SACC-MINFS-4CON-PG13
SACC-MINFS-5CON-PG13

SACC-MINFS-5CON-PG11/2,5
SACC-MINFS-3CON-PG 9
SACC-MINFS-4CON-PG 9
SACC-MINFS-5CON-PG 9
SACC-MINFS-5CON-PG16

Male cable fitting right angle:

SACC-MINMR-5CON-PG11/2,5
SACC-MINMR-3CON-PG 9
SACC-MINMR-5CON-PG 9

SACC-MINMR-5CON-PG13/2,5
SACC-MINMR-4CON-PG 9

Male cable fitting straight:


SACC-MINMS-5CON-PG13/2,5
SACC-MINMS-5CON-PG16/2,5
SACC-MINMS-3CON-PG13
SACC-MINMS-4CON-PG13
SACC-MINMS-5CON-PG 9

SACC-MINMS-5CON-PG11/2,5
SACC-MINMS-3CON-PG 9
SACC-MINMS-4CON-PG 9
SACC-MINMS-5CON-PG13
SACC-MINMS-5CON-PG16

Female cable fittings:

SACC-M12FSB-5CON-PG9 SH XL PB
SACC-M12FR-5CON-PG 9-SH
SACC-M12FS-5CON-DM 5-8 SH VA
SACC-M12FSB-5CON-PG 7
SACC-M12FR-5CON-PG9

SACC-M12FRB-5CON-PG 9-SH
SACC-M12FS-5CON-DM 3-5 SH VA
SACC-M12FSB-5CON-DM 5-8 SH VA
SACC-M12FS-5CON-PG9
SACC-M12FSB-5CON-PG9 SH AU


Deborah Jennings-Conner, VP Regulatory Services
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E221474
Report Reference E221474-20070307
Issue Date 2023-SEPTEMBER-04

Female cable fittings (cont.):

SACC-M12FS-5CON-PG 9 SH AU
SACC-M12FS-8CON-PG9-M
SACC-M12FRB-5CON-PG 9
SACC-M12FS-4CON-PG 7-VA
SACC-M12FS-4CON-PG 9-VA
SACC-M12FR-4CON-PG 7-VA
SACC-M12FR-5CON-PG 9-VA
SACC-M12FR-5CON-PG 7
SACC-M12FR-5CON-PG 7-M
SACC-M12FS-4CON-PG7-M
SACC-M12FR-4CON-PG7-M
SACC-M12FR-5CON-PG9-M
SACC-M12FS-5CON-PG 7-SH
SACC-M12FS-5CON-PG11-DUO
SACC-M12MS-12SOL-PG 9-M SH
SACC-M12MR-12SOL-PG 9-M SH
SACC-M12FR-5CON-PG 9-SH ADH
SACC-M12FST-3PECON-PG11-M
SACC-M12FRT-4CON-PG11-M
SACC-M12FS-5CON-PG11-M PWR
SACC-M12FR-5CON-PG11-M PWR
SACC-M12FST-4CON-PG 9-M
SACC-M12FRS-2PECON-PG 9-M
SACC-M12FSS-3PECON-PG 9-M

SACC-M12FS-8CON-PG 9-SH
SACC-M12FS-4CON-PG 9-SH
SACC-M12FSB-5CON-PG 9
SACC-M12FS-5CON-PG 7-VA
SACC-M12FS-5CON-PG 9-VA
SACC-M12FR-5CON-PG 7-VA
SACC-M12FS-5CON-PG 7
SACC-M12FS-5CON-PG 7-M
SACC-M12FS-4CON-PG7
SACC-M12FR-4CON-PG7
SACC-M12FS-5CON-PG9-M
SACC-M12FS-4CON-PG 7-SH
SACC-M12FS-5CON-PG 9-SH
SACC-M12FS-4CON-PG 9-M
SACC-M12FS-12SOL-PG 9-M SH
SACC-M12FR-12SOL-PG 9-M SH
SACC-M12FSS-3PECON-PG11-M
SACC-M12FRS-3PECON-PG11-M
SACC-M12FS-4CON-PG11-M PWR
SACC-M12FR-4CON-PG11-M PWR
SACC-M12FS-4CON-PG 9-M PWR
SACC-M12FSS-2PECON-PG 9-M
SACC-M12FRS-3PECON-PG 9-M
SACC-M12FRT-4CON-PG 9-M

Male cable fittings:

SACC-M12MSB-5CON-PG9 SH XL PB
SACC-M12MS-5CON-DM 3-5 SH VA
SACC-M12MSB-5CON-DM 5-8 SH VA
SACC-M12MS-4CON-PG 9-SH
SACC-M12MSB-5CON-PG9 SH AU
SACC-M12MS-8CON-PG 9-SH
SACC-M12MR-5CON-PG9
SACC-M12MSD-4CON-PG 9-SH
SACC-M12MR-5CON-PG11-DUO
SACC-M12MS-5CON-PG 7-VA
SACC-M12MR-4CON-PG 7-VA
SACC-M12MR-5CON-PG 7-VA
SACC-M12MR-5CON-PG 9-VA
SACC-M12MR-5CON-PG 7
SACC-M12MS-4CON-PG 7-M
SACC-M12MS-5CON-PG 7-M
SACC-M12MS-4CON-PG 7

SACC-M12MRB-5CON-PG 9-SH
SACC-M12MS-5CON-DM 5-8 SH VA
SACC-M12MS-5CON-PG 9
SACC-M12MS-4CON-PG11-DUO-M
SACC-M12MS-5CON-PG 9 SH AU
SACC-M12MS-8CON-PG9-M
SACC-M12MSD-4CON-PG 7-SH
SACC-M12MS-4CON-PG9-M
SACC-M12MS-4CON-PG 7-VA
SACC-M12MS-5CON-PG 9-VA
SACC-M12MS-4CON-PG 9-VA
SACC-M12MR-4CON-PG 9-VA
SACC-M12MS-5CON-PG 7
SACC-M12MS-5CON-PG11-DUO
SACC-M12MS-5CON-PG11-DUO-M
SACC-M12MR-5CON-PG 7-M
SACC-M12MR-4CON-PG7

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E221474
Report Reference E221474-20070307
Issue Date 2023-SEPTEMBER-04

SACC-M12MR-4CON-PG7-M
SACC-M12MR-5CON-PG9-M
SACC-M12MR-5CON-PG 7-SH
SACC-M12MS-5CON-PG 9-SH
SACC-M12MR-5CON-PG 9-SH
SACC-M12FS-12SOL-PG 9-M
SACC-M12FR-12SOL-PG 9-M
SACC-M12MST-3PECON-PG11-M
SACC-M12MRT-4CON-PG11-M
SACC-M12MS-4CON-PG11-M PWR
SACC-M12MR-4CON-PG11-M PWR
SACC-M12MS-4CON-PG 7-M PWR
SACC-M12MSS-2PECON-PG 9-M
SACC-M12MRS-3PECON-PG 9-M
SACC-M12MST-4CON-PG 9-M

Female Outlets:

SACC-DSIV-M12FS-5CON-L 90
SACC-DSIV-M12FS-5CON-L180
SACC-DSIV-M12FSB-5CON-L 90
SACC-DSIV-M12FSB-5CON-L180 SH
SACC-DSIV-M12FSD-4CON-L90
SACC-CI-M12FSD-4CON-L180/N01

Inlet:

SACC-DSI-M12MS-5CON-PG9/0,5
SACC-DSI-M 8MS-4CON-M 8/0,5
SACC-E-M 8MS-3CON-M8/0,5
SACC-DSI-M 8MS-3CON-L180
SACC-E-M8MS-3CON-M8/0,5 VPE500
SACC-DSI-M 8MS-4CON-M 8/2,0-24
SACC-DSI-M8MS-6CON-M8/0,1-0,08
SACC-E-M8MS-8CON-M10/0,5
SACC-DSI-M8MS-8CON-M8/0,07 MX
SACC-DSI-M 8MS-6CON-L180
SACC-DSI-M8MS-8CON-M8-L180
SACC-DSI-M 8MS-4CON-L180 SH
SACC-DSI-M8MS-8CON-M8-L180 SH
SACC-DSI-M8MS-3CON-M10-L90 AU
SACC-DSI-M8MS-5CON-M8-L90 DN
SACC-E-M12MS-5CON-M16 PSCUP
SACC-E-M12MS-8CON-M16 PSCUP
SACC-DSI-M12MS-12CON-M12

SACC-M12MS-5CON-PG 9-M
SACC-M12MS-5CON-PG 7-SH
SACC-M12MS-4CON-PG 7-SH
SACC-M12MR-4CON-PG 7-SH
SACC-M12MS-12SOL-PG 9-M
SACC-M12MR-12SOL-PG 9-M
SACC-M12MR-5CON-PG 9-SH ADH
SACC-M12MRS-3PECON-PG11-M
SACC-M12MSS-3PECON-PG11-M
SACC-M12MS-5CON-PG11-M PWR
SACC-M12MR-5CON-PG11-M PWR
SACC-M12MRT-4CON-PG 7-M
SACC-M12MRS-2PECON-PG 9-M
SACC-M12MSS-3PECON-PG 9-M
SACC-M12MRT-4CON-PG 9-M

SACC-DSIV-M12FS-5CON-L 90 SH
SACC-DSIV-M12FS-8CON-L180
SACC-DSIV-M12FSB-5CON-L180
SACC-DSIV-M12FSD-4CON-L180
SACC-CI-M8FS-4CON-L90 WH
SACC-CI-M12FS-5CON-L180/N01

SACC-DSI-M 8MS-3CON-M 8/0,5
SACC-E-M 8FS-4CON-M8/0,75
SACC-E-M 8MS-4CON-M8/0,5
SACC-DSI-M 8MS-4CON-L180
SACC-E-M 8MS-6CON-M 8/0,5
SACC-DSI-M 8MS-6CON-M 8/0,5
SACC-E-M8MS-5CON-M10/0,5 DN
SACC-DSI-M8MS-8CON-M8/0,5
SACC-DSI-M8MSB-5P-M8/0,025TIN
SACC-DSI-M8MS-4CON-L180-SH WN
SACC-DSI-M 8MS-3CON-L180 SH
SACC-DSI-M8MS-5CON-M8-L180 DN
SACC-DSI-M 8MS-3CON-L90 SH
SACC-DSI-M8MS-4CON-L90 SH
SACC-CI-M 8MS-3CON-SCUP
SACC-E-M12MS-5CON-M12 PSCUP
SACC-E-M12MS-8CON-M12 PSCUP

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E221474
Report Reference E221474-20070307
Issue Date 2023-SEPTEMBER-04

Outlet:

SACC-E-M 8FS-3CON-M8/0,5
SACC-DSI-M 8FS-3CON-L180
SACC-E-M 8FS-3CON-M8/1,0
SACC-E-M 8FS-4CON-M8/0,5 VPE500
SACC-E-M 8FS-6CON-M 8/1,5
SACC-E-M8FS-8CON-M10/0,5
SACC-DSI-M 8FS-3CON-M12/1,0
SACC-DSI-M 8FS-4CON-M12/0,5
SACC-DSI-M8FS-4CON-M12/1,5
SACC-DSI-M8FS-3CON-M10/0,5
SACC-DSI-M8FS-3CON-M10/1,5
SACC-DSI-M8FS-4CON-M10/1,2
SACC-DSI-M8FS-6CON-M10/0,5
SACC-DSI-M 8MS-6CON-L180 SH
SACC-DSI-M 8FS-6CON-L180
SACC-DSI-M8FS-4CON-M10-L180 SH
SACC-DSI-M8FS-6CON-M10-L180 SH
SACC-DSI-M8FS-3CON-M10-L90 SH
SACC-DSI-M8FS-4CON-M10-L90 SH
SACC-DSI-M8FS-6CON-M10-L90 SH
SACC-DSI-M12FS-8CON-L180P
SACC-DSI-M12FS-5CON-L180PSCUP

SACC-E-M 8FS-4CON-M8/0,5
SACC-DSI-M 8FS-4CON-L180
SACC-E-M 8FS-4CON-M8/0,13 AE
SACC-E-M 8FS-6CON-M 8/0,5
SACC-E-M8FS-5CON-M10/0,5 DN
SACC-DSI-M 8FS-3CON-M12/0,5
SACC-DSI-M 8FS-3P-M12/0,08 TIN
SACC-DSI-M 8FS-4CON-M12/1,0
SACC-DSI-M 8FS-6CON-M12/0,5
SACC-DSI-M8FS-3CON-M10/1,0
SACC-DSI-M8FS-4CON-M10/0,5
SACC-DSI-M8FS-8CON-M10/0,5
SACC-DSI-M8FS-3CON-M10-L180 SH
SACC-DSI-M8MS-6CON-M8-L90 SH
SACC-DSI-M8FS-8CON-M10-L180
SACC-DSI-M8FS-5CON-M10-L180 DN
SACC-DSI-M8FS-8CON-M10-L180 SH
SACC-DSIV-M8FS-3CON-M10-L90 AU
SACC-DSI-M8FS-5CON-M10-L90 DN
SACC-E-M 8FS-4CON-M8/0,23 AE
SACC-DSI-M12FS-5CON-L180P

Male Inlets:

SACC-DSIV-M12MS-5CON-L 90
SACC-DSIV-M12MS-5CON-L180
SACC-DSIV-M12MSB-5CON-L 90
SACC-DSIV-M12MSB-5CON-L180
SACC-CI-M12MS-5CON-L180 SH/N01

SACC-DSIV-M12MS-5CON-L 90 SH
SACC-DSIV-M12MS-5CON-L180-SH
SACC-DSIV-M12MSB-5CON-L180 SH
SACC-CI-M12MS-5CON-L180/N01

]

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>

