

Certificate of Compliance

Certificate Number:

UL-US-L255026-52407102-
11

Report Reference:

E255026-20170425

Issue Date:

2025-01-21

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

NITW2 - Industrial Control Panels - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date: 2022-07-28

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L255026-52407102-11
Report reference E255026-20170425
Date 2025-01-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
Component for Industrial Control Panel- Plastic enclosure, Connector Enclosure Series HEAVYCON, consisting of HC, followed by -COM, may be followed by -HHFS, -BWS, -BCFS, -SHOWS, -CHWS followed by -1SG or 1TG, followed by -M25, -M32 may be followed by -PL, -PLR, followed by -BK: UL Enclosure Type 1, 2, 5, 12, 12K, and 13, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Component for Industrial Control Panels Enclosures - Plastic enclosure, Connector Enclosures Series HEAVYCON, consisting of HC, followed by -EV0, followed by -M1, may be followed by -HHFS, -BWS, maybe followed by -PL, -PLR, followed by -BK. UL Enclosure Type 1, 2, 5, 12, 12K, and 13, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Component for Industrial Control Panels Enclosures - Plastic enclosure, Connector Enclosures Series HEAVYCON, consisting of HC-ADV, may be followed by -B16, -B06,-B24,-B10,may be followed by -HHWH, may be followed by -1SGM,-1TG, may be followed by -M40,-M20,-M32,-M25, may be followed by -PL. UL Enclosure Type 1, 2,5, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Component for Industrial Control Panels Enclosures- Plastic enclosure, Connector Enclosures Series HEAVYCON, consisting of models HC followed by -D, followed by -G, followed by -M25, followed by -PLR, followed by -BK. Type 1, 2,5, 12, 12K, and 13, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Connector Enclosures Series HEAVYCON, Rated Type 12 Connector Enclosures Series HEAVYCON, consisting of models HC followed by -EVO, followed by -D15, or -D25, followed by -S, may be followed by -L, followed by -WS, or FD, may be followed by -C, may be followed by -1 or -2,	Component for Industrial Control Panels Enclosures



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L255026-52407102-11
Report reference E255026-20170425
Date 2025-01-21

may be followed by -S, may be followed by -S, may be followed by -M, may be followed by -P, may be followed by -L, may be followed by -R, followed by -BK. may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	
Connector Enclosures Series HEAVYCON, Rated Type 12 Connector Enclosures Series HEAVYCON, consisting of models HC followed by -EVO, followed by -B06, -B10, -B16 -B24, or M1 followed by -H, -B, -S or -C, may be followed by -H or -L, followed by -WS, -WD, -FS or FD, may be followed by -C, may be followed by -blank, -1 or -2, may be followed by -T, -S or -B, may be followed by -T, or -S, may be followed by -M20, -M25, -M32, -M40, -PG13, -PG16, -PG21, -PG29, -NPT1/2, -NPT3/4, -NPT1/1, -NPT 1 1/4, -P or -N, may be followed by -P, may be followed by -L, may be followed by -R or -C, followed by -BK, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Component for Industrial Control Panels Enclosures
Connector Enclosures Series HEAVYCON Accessories, consisting of models HC followed by B, followed by -G, -TA, may be followed by MULTI 01 or 02 or 03, followed by -M, -P or -N, followed by -P, followed by -L, followed by -R, followed by -BK, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Component for Industrial Control Panels Enclosures - Accessories

Certificate of Compliance

Certificate Number:

UL-CA-L255026-52407102-12

Report Reference:

E255026-20170425

Issue Date:

2025-01-21

Issued to:

**PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany**

This certificate confirms that representative samples of:
NITW8 - Industrial Control Panels Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06, CSA C22.2 No. 286, Edition 3, Issue Date 2023-04

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L255026-52407102-12
Report reference E255026-20170425
Date 2025-01-21

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
Component for Industrial Control Panel- Plastic enclosure, Connector Enclosure Series HEAVYCON, consisting of HC, followed by -COM, may be followed by -HHFS, -BWS, -BCFS, -SHOWS, -CHWS followed by -1SG or 1TG, followed by -M25, -M32 may be followed by -PL, -PLR, followed by -BK: UL Enclosure Type 1, 2, 5, 12, 12K, and 13, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Component for Industrial Control Panels Enclosures - Plastic enclosure, Connector Enclosures Series HEAVYCON, consisting of HC, followed by -EV0, followed by -M1, may be followed by -HHFS, -BWS, maybe followed by -PL, -PLR, followed by -BK. UL Enclosure Type 1, 2, 5, 12, 12K, and 13, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Component for Industrial Control Panels Enclosures - Plastic enclosure, Connector Enclosures Series HEAVYCON, consisting of HC-ADV, may be followed by -B16, -B06,-B24,-B10,may be followed by -HHWH, may be followed by -1SGM,-1TG, may be followed by -M40,-M20,-M32,-M25, may be followed by -PL. UL Enclosure Type 1, 2,5, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Component for Industrial Control Panels Enclosures- Plastic enclosure, Connector Enclosures Series HEAVYCON, consisting of models HC followed by -D, followed by -G, followed by -M25, followed by -PLR, followed by -BK. Type 1, 2,5, 12, 12K, and 13, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Industrial Control Panels
Connector Enclosures Series HEAVYCON, Rated Type 12 Connector Enclosures Series HEAVYCON, consisting of models HC followed by -EVO, followed by -D15, or -D25, followed by -S, may be followed by -L, followed by -WS, or	Component for Industrial Control Panels Enclosures



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L255026-52407102-12
Report reference E255026-20170425
Date 2025-01-21

FD, may be followed by -C, may be followed by -1 or -2, may be followed by -S, may be followed by -S, may be followed by -M, may be followed by -P, may be followed by -L, may be followed by -R, followed by -BK. may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	
Connector Enclosures Series HEAVYCON, Rated Type 12 Connector Enclosures Series HEAVYCON, consisting of models HC followed by -EVO, followed by -B06, -B10, -B16 -B24, or M1 followed by -H, -B, -S or -C, may be followed by -H or -L, followed by -WS, -WD, -FS or FD, may be followed by -C, may be followed by -blank, -1 or -2, may be followed by -T, -S or -B, may be followed by -T, or -S, may be followed by -M20, -M25, -M32, -M40, -PG13, -PG16, -PG21, -PG29, -NPT1/2, -NPT3/4, -NPT1/1, -NPT 1 1/4, -P or -N, may be followed by -P, may be followed by -L, may be followed by -R or -C, followed by -BK, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Component for Industrial Control Panels Enclosures
Connector Enclosures Series HEAVYCON Accessories, consisting of models HC followed by B, followed by -G, -TA, may be followed by MULTI 01 or 02 or 03, followed by -M, -P or -N, followed by -P, followed by -L, followed by -R, followed by -BK, may be followed additional suffixes (any combination of letters, symbols and/or numbers) designating non-electrical variations such as color, customer identification, packaging or plating options.	Component for Industrial Control Panels Enclosures - Accessories