

Certificate of Compliance

Certificate Number:

UL-US-2428648-1

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:
XCFR2 - Terminal Blocks - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL1059, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2428648-1
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-2428649-1

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

**PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany**

This certificate confirms that representative samples of:

XCFR2 - Terminal Blocks - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL1059, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2428649-1
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-2428650-1

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

XCFR2 - Terminal Blocks - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL1059, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2428650-1
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-L60425-6187191-
90210102-7

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

XCFR2 - Terminal Blocks - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL1059, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L60425-6187191-90210102-7
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-2554546-0

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

**PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany**

This certificate confirms that representative samples of:

XCFR2 - Terminal Blocks - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1059, Edition 6, Issue Date 2024-12-11

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2554546-0
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-2422346-1

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

XCFR8 - Terminal Blocks Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CAN/CSA C22.2 No. 158-10, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Owner



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2422346-1
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-2422345-1

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

XCFR8 - Terminal Blocks Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CAN/CSA C22.2 No. 158-10, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2422345-1
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-2422347-1

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

**PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany**

This certificate confirms that representative samples of:

XCFR8 - Terminal Blocks Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CAN/CSA C22.2 No. 158-10, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Owner



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2422347-1
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L60425-6189191-
90210102-6

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

XCFR8 - Terminal Blocks Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CAN/CSA C22.2 No. 158-10, Terminal Blocks

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L60425-6189191-90210102-6
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-2540961-0

Report Reference:

E60425-20101209

Issue Date:

2025-01-31

Issued to:

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstrasse 8 Blomberg 32825
Germany

This certificate confirms that representative samples of:

XCFR8 - Terminal Blocks Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 158, Edition 4, Issue Date 2023-02, Revision Date 2023-12

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2540961-0
Report reference E60425-20101209
Date 2025-01-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
PTCM 0.5 followed by /one or two digit number followed by suffix -P, followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PI followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTCM 0.5 followed by /one or two digit number followed by suffix -PL followed by suffix -2.5, may be followed by 1 to 30 character alphanumeric suffix (any combination of letters and/ or numbers) indicating optional alternate poles, colors, coding and laser prints.	Terminal Blocks - Component
PTSM 0.5, followed by /one or two digit number followed by suffix -P, -PI or -PL followed by suffix -2.5, may be followed by suffix WH or BK., Notes: (1) – For factory wiring – 6A max. Does not apply for -PI and -PL suffixes.	Terminal Blocks - Component



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.